

## VENICUT5 M



1 TAEKI® 5 KNITTED SLEEVE - 45 CM

Ref. VECUT5M\_



### Product specifications

TAEKI® 5 high performance polyethylene fibre. Knitted sleeve with thumbhole. Length 45 cm. Gauge 13.

Support: TAEKI 5 fibres (synthetic: High performance).

**COLOUR**

Yellow-Grey

**SIZE**

One size

## Product Use - Risks



Heat



Cutting / Perforation



Wearing



Construction / Civil engineering



Second work / craftman



Heavy industry



Light industry



Hygiene environment



Oil / Gas



Mining



Wind energy

## Product's highlights & user's benefits

Food compatibility

TAEKI® 5 high performance polyethylene:

- Excellent cut resistance
- Maximum abrasion performance



Cut level 5

## Certifications and Standards



### REGULATION (EU) 1935/2004 CONTACT WITH FOOD PRODUCTS

#### GLOB MIGR Food contact - Overall Migration

- .. Contact with wet or watery food
- .. Contact with fatty foods
- .. Contact with acidic foods

#### USA STANDARDS



#### ANSI-ISEA 105:2016 Hand Protection

A3: Resistance to cutting by sharp objects (from A1 to A9)



#### EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)

#### EN388:2003 Protective gloves against mechanical Risks (Levels obtained on the palm)





- 4: Resistance to abrasion (from 1 to 4)
- 5: Resistance to cutting (from 1 to 5)
- 4: Resistance to tear (from 1 to 4)
- X: Resistance to puncture (1 to 4)

#### EN407:2004 Protective gloves against Heat & Fire risks (X = Unrealized test)



- X: Resistance to flammability (from 1 to 4)
- 1: Resistance to contact heat (from 1 to 4)
- X: Resistance to convective heat (from 1 to 4)
- X: Resistance to radiant heat (from 1 to 4)
- X: Resistance to small projections of liquid metal (from 1 to 4)
- X: Resistance to large projections of molten metal (from 1 to 4)

## References

References	Bar code	COLOUR	SIZE		
VECUT5M	3295249157418	Yellow-Grey	One size	60	12